



HIMACHAL PRADESH STATE POLLUTION CONTROL BOARD

HIM PARIVESH, PHASE-III, NEW SHIMLA-171009

Ph.91177 2673766,2673019 &32,Fax 91 177 2673018

No.HPSPCB/PCB-ID11035

13940-42



DATE: 29-8-2018

To

Shivalik Solid Waste Management Limited
Village Majra, PO Dabhota, Nalagarh --
District - Solan(Baddi)

Sub: RCTO for the Common Treatment, Storage and Disposal facility (TSDF) of Hazardous Waste at Village Majra, P.O. Dabhota, Tehsil Nalagarh, Distt. Solan, H.P.

1) Validity of Previous Consent	31/03/2015
2) Recommendation made By Regional officer on date	22/06/2018
3) Validity of this Renewal of Consent	31/03/2019

This Renewal is granted on the recommendation of SEE(HQ) and RO and subject to following conditions:

- > This Consent/Renewal of Consent is for:
 - a) The Compliance to the norms for emission as prescribed in schedule-1 of environment(Protection) Rules,1986 as may be prescribed by the Board.
 - b) Noise and ambient air quality to be maintained within Ambient Air Quality Standards for noise as specified in schedule III of aforesaid Rules.
 - c) The effluent (domestic /industrial) conforming to the limits as prescribed in Schedule-I or Schedule-VI of Environment Protection Rules 1986 as amended or as may be prescribed by the Board.
- > Pollution Control Devices provided by the unit shall be operated and maintained to achieve the norms as prescribed in Environment (Protection) Act, 1986 as amended from time to time.
- > The State Board reserves the right to revoke/review and alter the conditions of consent as the case may be.
- > Unit shall not undertake the expansion activity/ or additional product in the existing unit without obtaining consent from State Board.
- > Unit shall comply with the provisions of the e-waste (Management & Handling rules), 2011.
- > Unit shall not pollute any water sources in the area like drinking, pond or well etc.
- > No debris shall be thrown along the roads or water course and the debris shall be either utilized or disposed in designated dumping sites.
- > The project proponent shall be liable to clear any past/current liability on account of difference consent fees if detected at any subsequent stage.
- > The emission/effluent shall be got sampled and tested by the unit as well as concerned Regional Officer as prescribed and further renewal shall be dependent up on the results of samples so collected and tested.
- > The samples of effluent/emissions shall be collected by the Regional Officer concerned and the unit shall also get the self monitoring of effluent/emission done within the month and convey the results to the State Board.
- > The Unit shall comply all the conditions specified in the letter of Consent to Operate as granted earlier. This Renewal of Consent to operate is only for the purpose and under the provision of Water Act, 1974 and Air Act, 1981. The unit shall not increase the production capacity in the existing unit without prior consent of the State Board and approval of the competent authority.
- > A multi effect evaporator is provided for treat the leachate. Septic tank is provided for sewage treatment.A D.G. set of 100 KVA capacity provided with accoustic enclosure shall conform to the norms as prescribed under EP (Act), 1986 and rules there under.
- > Unit shall ensure that ground water quality in the observation wells is maintained well below the levels. Unit shall comply all the provisions of HoWMR, 2016.AF.O. fired boiler of 750kg/hr capacity along with wet scrubber as APCDs provided by the unit as reported by RO, shall conform to the norms as prescribed under EP (Act), 1986 and rules there under.
- > This consent is subject to ratification of the State Board or any litigation pending at any Court of Law.Unit shall strictly adhere to the capacity as approved by the industries department & consented by the State Board and RO to ensure the same.
- > Regional Officer is directed to conduct the stack monitoring of boiler within one month, if unit fails to comply the consent granted shall be deemed withdrawn.



Dr. R.K. Pruthi (IAS)
Member Secretary

Copy to:-

The Regional Officer, H.P State Pollution Control Board Baddi for information and further necessary action please.

The PSO, HPSPCB Shimla for Information please.

09/08/2018

N I C